



SUCCESS CRITERION 2.3.3 · LEVEL AAA

# Animation from Interactions



“Animations pop up like whack-a-moles with every click — give me a break, or at least a 'no animation' mode!”

Who this helps: Photosensitive Epilepsy, Vestibular Disorders

# Animation from Interactions

Motion animation triggered by interaction can be disabled unless the animation is essential to the functionality or the information being conveyed.

Principle 2: Operable

Guideline 2.3: Seizures and Physical Reactions

# What each role can do

## **Product manager**

Implement a system setting to disable animations for users who are sensitive to motion.

## **Designer**

Design interfaces that minimize unnecessary animations and provide options to turn them off.

## **Developer**

Create preferences in the site's settings that allow users to reduce or eliminate motion animation.

## **Tester**

Test the website with animations turned off to ensure that all content remains accessible and functional.

# Once it is fixed



“Cheers for letting me take control of my screen. With animations off, it's smooth surfing all the way!”

# WCAG Quotes

Every WCAG 2.2 success criterion,  
told by the person it helps.

[mpaiva.com/wcag-quotes/2-3-3-animation-from-interactions](https://mpaiva.com/wcag-quotes/2-3-3-animation-from-interactions)

The quotes are written to illustrate the criterion. They are not testimonials from real people.